

# IBM

## EXAM - C2090-463

**IBM InfoSphere Guardium**

**Buy Full Product**

**<http://www.examskey.com/C2090-463.html>**

Examskey IBM C2090-463 exam demo product is here for you to test the quality of the product. This IBM C2090-463 demo also ensures that we have this product ready unlike most companies, which arrange the product for you as you order These C2090-463 exam questions are prepared by IBM subject matter specialists. Hence these are most accurate version of the C2090-463 exam questions that you can get in the market.

We also offer bundle discount packages for every IBM certification track, so you can buy all related exam questions in one convenient bundle. And for corporate clients we also offer bundles for IBM certification exams at huge discount.

Check out our [C2090-463 Exam Page](#) and [IBM Certification Page](#) for more details of these bundle packages.

## Question: 1

Which consideration is true for a Vulnerability Assessment (VA) deployment?

- A. Collectors running VA cannot also perform database monitoring.
- B. Each collector can run up to 20 Vulnerability Assessments simultaneously.
- C. S-TAP must be running on the database server before VA is run for a database on that server.
- D. There is a need to create an account with appropriate privileges on the database for VA to work.

**Answer: D**

## Question: 2

Which Guardium appliance cannot be managed?

- A. S-TAP
- B. Collector
- C. Aggregator
- D. Central manager

**Answer: D**

## Question: 3

When planning the deployment for Data Activity Monitoring (DAM) there is a need to determine the location of the various Guardium solution components (i.e. Agents, appliances). Which statement is correct?

- A. S-TAP agents need to reside in the same data center the aggregators reside in.
- B. Collectors can report to aggregators that are located in data centers other than their own.
- C. Collectors can reside anywhere in the customer network regardless of database server location.
- D. Aggregators need to reside in the same data center the collectors that report to them (Aggregator) reside.

**Answer: B**

## Question: 4

When sizing a Vulnerability Assessment solution, what is the recommendation for calculating the number of collectors needed?

- A. One collector for every 30K PVU.
- B. One collector for every data center.
- C. One collector for every 35 database servers.
- D. One collector for every 255 database instances.

**Answer: D**

## Question: 5

What are the mechanisms used by UNIX S-TAP to capture database traffic?

- A. K-TAP, A-TAP, and PCAP
- B. K-TAP, LHMON, and PCAP
- C. PCAP, DB2TAP, and K-TAP
- D. A-TAP, Shared Memory Driver, and K-TAP
- E. Company

**Answer: A**

## Question: 6

Which parameter should be used to enable K-TAP flex loading through GIM?

- A. KTAP\_ENABLED set to "1"
- B. KTAP\_LIVE\_UPDATE set to "Y"
- C. KTAP\_FAST\_FILE\_VERDICT set to "1"
- D. KTAP\_ALLOW\_MODULE\_COMBOS set to "Y"

**Answer: D**

## Question: 7

Before uninstalling A-TAP, which procedure must be done?

- A. K-TAP must be unloaded using guard\_ktap\_loader.
- B. A-TAP must be deactivated on all database instances.
- C. The Guardium group must be removed from the server.
- D. The sniffer must be stopped on the Guardium appliance.

**Answer: B**

## Question: 8

Which guard\_tap.ini parameter should be used to set the virtual IP of a Microsoft SQL Server cluster environment?

- A. tap\_ip
- B. sqlguard\_ip
- C. alternate\_ips
- D. connect\_to\_ip

**Answer: C**

## Question: 9

What statement is true regarding policy push down?

- A. Policy push down pushes a classification process into S-TAP for Z on IMS.
- B. Policy push down allows ZSecure to push policies into the Guardium appliance.
- C. Policy push down allows the Guardium appliance to identify sensitive objects inside the DB2 database.
- D. Policy-push-down enables policy push down of collected profiles, collection activation, and collection inactivation from the Guardium appliance.

**Answer: D**

## Question: 10

What is the correct way to stop a UNIX S-TAP that was installed with a non-GIM installer?

- A. Use the Stop S-TAP button in the S-TAP Control window.
- B. Find the S-TAP Process ID and terminate with kill -9 command.
- C. Comment the U-TAP section of /etc/inittab, followed by the init q command.
- D. Under the Modules parameter in the Central Manager, set STAP\_ENABLED = 0 for the appropriate S-TAP.

**Answer: C**

## Question: 11

Which appliance type(s) can serve as a Guardium host for S-TAPs?

- A. A collector only.
- B. Collectors and Aggregators only.
- C. Collectors and standalone Central Managers.
- D. All appliance types can accept S-TAP connections.

**Answer: A**

## Question: 12

In the Session level entity, how many UID Chain attribute(s) are there?

- A. 1 - UID Chain
- B. 2 - UID Chain & UID Chain Compressed
- C. 3 - UID Chain, UID Chain Compressed & UID Chain Expanded
- D. 4 - UID Chain, UID Chain Compressed, UID Chain Expanded & UID Chain for z/OS

**Answer: B**



## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual C2090-463 Exam Questions With Answers.

<http://www.examskey.com/C2090-463.html>


We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Download Free Product Demo From:

<http://www.examskey.com/C2090-463.html>

## Money Back Guarantee



## Check Out Our Customer Testimonials



<http://vimeo.com/102521210>